


A service of the U.S. National Library of Medicine
and the National Institutes of Health



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC
Journals Books

Search for

[Advanced Search](#)

[Save Search](#)

[Limits](#) [Preview/Index](#) [History](#) [Clipboard](#) [Details](#)

Display Show Sort By Send to

All: 15 Review: 1

KLK8 kallikrein-related peptidase 8 [Homo sapiens]

Kallikreins are a subgroup of serine proteases having diverse physiological functions. [More](#)
Location: 19q13.3-q13.4

[klk8 in Homo sapiens](#) | [Mus musculus](#) | All 11 Gene records

[Gene](#)

Items 1 - 15 of 15

[One page.](#)

Recent Activity

[Turn On](#) [Clear](#)

Activity recording is turned off.

[Turn recording back on](#)

1: [Differential gene expression signature between primary and metastatic head and neck squamous cell carcinoma.](#)

Liu CJ, Liu TY, Kuo LT, Cheng HW, Chu TH, Chang KW, Lin SC.
J Pathol. 2008 Mar;214(4):489-97.

PMID: 18213732 [PubMed - indexed for MEDLINE]
[Detailed Abstract](#)

2: [Aberrant human tissue kallikrein levels in the stratum corneum and serum of patients with psoriasis: dependence on phenotype, severity and therapy.](#)

Komatsu N, Saijoh K, Kuk C, Shirasaki F, Takehara K, Diamandis EP.
Br J Dermatol. 2007 May;156(5):875-83.

PMID: 17459012 [PubMed - indexed for MEDLINE]
[Detailed Abstract](#)

3: [Kallikrein 8 is involved in skin desquamation in cooperation with other kallikreins.](#)

Kishibe M, Bando Y, Terayama R, Namikawa K, Takahashi H, Hashimoto Y, Ishida-Yamamoto A, Jiang YP, Mitrovic B, Perez D, Iizuka H, Yoshida S.
J Biol Chem. 2007 Feb 23;282(8):5834-41. Epub 2006 Dec 19.

PMID: 17182622 [PubMed - indexed for MEDLINE]
[Detailed Abstract](#)

Display Show Sort By Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

- 4: Activation and enzymatic characterization of recombinant human kallikrein 8.
Kishi T, Cloutier SM, Kündig C, Deperthes D, Diamandis EP.
Biol Chem. 2006 Jun;387(6):723-31.
PMID: 16800733 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 5: Human kallikrein 8 protein is a favorable prognostic marker in ovarian cancer.
Borgoño CA, Kishi T, Scorilas A, Harbeck N, Dorn J, Schmalfeldt B, Schmitt M, Diamandis EP.
Clin Cancer Res. 2006 Mar 1;12(5):1487-93.
PMID: 16533772 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 6: Differential expression of neutropein and protease M/neurosin in oligodendrocytes after injury to the spinal cord.
Terayama R, Bando Y, Takahashi T, Yoshida S.
Glia. 2004 Nov 1;48(2):91-101.
PMID: 15378660 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 7: Human kallikrein 8 (hK8/TADG-14) expression is associated with an early clinical stage and favorable prognosis in ovarian cancer.
Shigemasa K, Tian X, Gu L, Tanimoto H, Underwood LJ, O'Brien TJ, Ohama K.
Oncol Rep. 2004 Jun;11(6):1153-9.
PMID: 15138549 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 8: Prolonged recovery of ultraviolet B-irradiated skin in neutropein (KLK8)-deficient mice.
Kirihara T, Matsumoto-Miyai K, Nakamura Y, Sadayama T, Yoshida S, Shiosaka S.
Br J Dermatol. 2003 Oct;149(4):700-6.
PMID: 14616360 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 9: Human kallikrein 8, a novel biomarker for ovarian carcinoma.
Kishi T, Grass L, Soosaipillai A, Scorilas A, Harbeck N, Schmalfeldt B, Dorn J, Mysliwiec M, Schmitt M, Diamandis EP.
Cancer Res. 2003 Jun 1;63(11):2771-4.
PMID: 12782581 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 10: Prognostic value of quantitatively assessed KLK7 expression in ovarian cancer.
Kyriakopoulou LG, Yousef GM, Scorilas A, Katsaros D, Massobrio M, Fracchioli S, Diamandis EP.
Clin Biochem. 2003 Mar;36(2):135-43.
PMID: 12633763 [PubMed - Indexed for MEDLINE]
Database: PubMed
- 11: Role of kallikrein enzymes in the central nervous system.

Department of Health & Human Services

Yousef GM, Kishi T, Diamandis EP.

Clin Chim Acta. 2003 Mar;329(1-2):1-8. Review.

PMID: 12669961 [PubMed - indexed for MEDLINE]

© 2003 Elsevier

□ 12: Loss of hippocampal serine protease BSP1/neuropsin predisposes to global seizure activity.

Davies B, Kearns IR, Ure J, Davies CH, Lathe R.

J Neurosci. 2001 Sep 15;21(18):6993-7000.

PMID: 11549709 [PubMed - indexed for MEDLINE]

© 2001 Elsevier

□ 13: Expression of the kallikrein gene family in normal and Alzheimer's disease brain.

Shimizu-Okabe C, Yousef GM, Diamandis EP, Yoshida S, Shiosaka S, Fahnstock M.

Neuroreport. 2001 Aug 28;12(12):2747-51.

PMID: 11522960 [PubMed - indexed for MEDLINE]

© 2001 Elsevier

□ 14: The human KLK8 (neuropsin/ovasin) gene: identification of two novel splice variants and its prognostic value in ovarian cancer.

Magklara A, Scorilas A, Katsaros D, Massobrio M, Yousef GM, Fracchioli S, Danese S, Diamandis EP.

Clin Cancer Res. 2001 Apr;7(4):806-11.

PMID: 11309326 [PubMed - indexed for MEDLINE]

© 2001 American Association for Cancer Research

□ 15: Sequencing and expression analysis of the serine protease gene cluster located in chromosome 19q13 region.

Gan L, Lee I, Smith R, Argonza-Barrett R, Lei H, McCuaig J, Moss P, Paeper B, Wang K.

Gene. 2000 Oct 17;257(1):119-30.

PMID: 11054574 [PubMed - indexed for MEDLINE]

© 2000 Elsevier

Items 1 - 15 of 15

One page.

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)